

AXOR Uno

Single lever kitchen mixer for concealed installation wall-mounted

Surfaces: **Chrome** Article Number: **38815000**




product features

- handle can be positioned on the right or left, depends on the basic set installation
- swivel range adjustable in 2 steps to 110° or 150°
- with telescopic function (330 - 500 mm)
- normal spray
- maximum flow rate at 3 bar: 9 l/min
- joystick ceramic cartridge
- connection type: basic set or base unit required
- integrated non-return valve
- suitable for continuous flow water heaters

Product image



Scale drawing




AXOR Uno

Single lever kitchen mixer for concealed installation wall-mounted

Surfaces: **Chrome** Article Number: **38815000**





Flowchart



AXOR Uno
Single lever kitchen mixer for concealed installation wall-mounted
Surfaces: **Chrome** Article Number: **38815000**



Installation examples




AXOR Uno
Single lever kitchen mixer for concealed installation wall-mounted
 Surfaces: **Chrome** Article Number: **38815000**



Exploded Drawing

Year of production: >11/11



AXOR Uno
Single lever kitchen mixer for concealed installation wall-mounted
 Surfaces: **Chrome** Article Number: **38815000**



Spare part list

Year of production: >11/11

Pos.		Article Number	Price	PU
1	fixing set	97971000	-	1
2	adapter for cartridge	95644000	-	1
3	cartridge, assy	96339000	-	1
4	O-ring 21,95x1,78	95169000	-	1
5	nut	95645000	-	1
6	filter	97735000	-	1
7	flow limiter (9 l/min)	98894000	-	1
8	O-ring 14x2	98129000	-	1
9	escutcheon	95920000	-	1
10	nut	97601000	-	1
11	escutcheon for handle	96912000	-	1
12	escutcheon for spout	95921000	-	1
13	handle	10092000	-	1
14	flange	95922000	-	1
15	O-Ring 14x2,5	98189000	-	1
16	O-ring 13x1,5	98475000	-	1
17	non return valve DW 10	96456000	-	1
18	O-ring 15x2,5	98131000	-	1
19	spout cpl.	95923000	-	1
20	aerator laminar M22x1 (15 l/min)	95967000	-	1
21	hollow set screw M4x6	97767000	-	1
22	connecting thread G½	93189000	-	1
a	base body	13622180	-	1
b	service tool for disassembling the handle	92124000	-	1
c	extension set 25 mm for 13622180	31971000	-	1
d	adapter for exchanged connections	93561000	-	1
e	Grease	90920000	-	1