LINESCAPES WALL

Family of floor, ceiling and wall elements, efficient with an highly versatile linear luminous output. Body in aluminium extruded and opal white polycarbonate diffuser. Horizontal cantilever wall version supplied with kit for connection with remote driver. White or balck finishing with elements in grey painted on the floor and wall versions.

L102 - 2700K		4
LAMPING		
Source	linear LED	
Total power	19W	
Emission	diffused, side emission	
Tension	24V DC	
Color temperature	2700K	4
Luminous flux	1125lm	
Typ CRI	80	
Energy class	A+	
Materials	Aluminium + PC + ABS	
Notes	side emission, driver not included	
Codes	Structure/Diffuser	
LIN LW2 31	white/grey/white	ID2
PACKAGE		
Package 01	Dimension: 113x15x17 cm / Net weight: 2 kg / Gross weight: 3,5 kg	
Certificazioni		
		2 2
CE EAE		

L102 - 3000K		4
LAMPING		
Source	linear LED	
Total power	19W	
Emission	diffused, side emission	
Tension	24V DC	
Color temperature	3000K	4
Luminous flux	1125lm	
Typ CRI	80	
Energy class	Α+	B2 B2
Materials	Aluminium + PC + ABS	" <u>"</u> []
Notes	side emission, driver not included	
Codes	Structure/Diffuser	
LIN LWD 31	white/grey/white	ID ID
PACKAGE		
Package 01	Dimension: 112x15x17 cm / Net weight: 2 kg / Gross weight: 3,5 kg	
Certificazioni		
		2 2
CE EAE		

L182 - 2700K		4
LAMPING		
Source	linear LED	
Total power	33W	
Emission	diffused, side emission	
Tension	24V DC	
Color temperature	2700K	4
Luminous flux	1765lm	
Typ CRI	80	
Energy class	Α+	BB2
Materials	Aluminium + PC + ABS	<u> </u>
Notes	side emission, driver not included	
Codes	Structure/Diffuser	
LIN LW2 32	white/grey/white	p2
PACKAGE		
Package 01	Dimension: 18x22x190 cm / Gross weight: 3,5 kg	
Certificazioni		
CE ERE		
		2 2

L182 - 3000K		4
LAMPING		
Source	linear LED	
Total power	33W	
Emission	diffused, side emission	
Tension	24V DC	
Color temperature	3000K	4
Luminous flux	1765lm	
Typ CRI	80	
Energy class	Α+	B B2
Materials	Aluminium + PC + ABS	
Notes	side emission, driver not included	
Codes	Structure/Diffuser	
LIN LWD 32	white/grey/white	p p
PACKAGE		
Package 01	Dimension: 18x22x190 cm / Gross weight: 3,5 kg	
Certificazioni		
CE ERE		
		2 2